

Tables

A summary of diseases currently being reported by each jurisdiction is provided in Table 1. There were 32,497 notifications to the National Notifiable Diseases Surveillance System (NNDSS) with a notification date between 1 October and 31 December 2006 (Table 2). The notification rate of diseases per 100,000 population for each state or territory is presented in Table 3.

Table 1. Reporting of notifiable diseases by jurisdiction

Disease	Data received from:
Bloodborne diseases	
Hepatitis B (incident)	All jurisdictions
Hepatitis B (unspecified)	All jurisdictions
Hepatitis C (incident)	All jurisdictions except Qld
Hepatitis C (unspecified)	All jurisdictions
Hepatitis D	All jurisdictions
Gastrointestinal diseases	
Botulism	All jurisdictions
Campylobacteriosis	All jurisdictions except NSW
Cryptosporidiosis	All jurisdictions
Haemolytic uraemic syndrome	All jurisdictions
Hepatitis A	All jurisdictions
Hepatitis E	All jurisdictions
Listeriosis	All jurisdictions
Salmonellosis	All jurisdictions
Shigellosis	All jurisdictions
SLTEC, VTEC	All jurisdictions
Typhoid	All jurisdictions
Quarantinable diseases	
Cholera	All jurisdictions
Plague	All jurisdictions
Rabies	All jurisdictions
Smallpox	All jurisdictions
Tularemia	All jurisdictions
Viral haemorrhagic fever	All jurisdictions
Yellow fever	All jurisdictions
Sexually transmissible infections	
Chlamydial infection	All jurisdictions
Donovanosis	All jurisdictions
Gonococcal infection	All jurisdictions
Syphilis (all)	All jurisdictions
Syphilis <2 years duration	All jurisdictions
Syphilis >2 years or unspecified duration	All jurisdictions
Syphilis - congenital	All jurisdictions
Vaccine preventable diseases	
Diphtheria	All jurisdictions
<i>Haemophilus influenzae</i> type b	All jurisdictions
Influenza (laboratory confirmed)*	All jurisdictions
Measles	All jurisdictions
Mumps	All jurisdictions
Pertussis	All jurisdictions
Pneumococcal disease (invasive)	All jurisdictions
Poliomyelitis	All jurisdictions
Rubella	All jurisdictions
Rubella - congenital	All jurisdictions
Tetanus	All jurisdictions
Varicella infections (chickenpox)	All jurisdictions except NSW
Varicella infections (unspecified)	All jurisdictions except NSW
Varicella zoster infections	All jurisdictions except NSW
Vectorborne diseases	
Barmah Forest virus infection	All jurisdictions
Flavivirus infection (NEC) [†]	All jurisdictions
Dengue	All jurisdictions
Japanese encephalitis virus	All jurisdictions
Kunjin virus	All jurisdictions
Malaria	All jurisdictions
Murray Valley encephalitis virus	All jurisdictions
Ross River virus infection	All jurisdictions
Zoonoses	
Anthrax	All jurisdictions
Australian bat lyssavirus	All jurisdictions
Brucellosis	All jurisdictions
Leptospirosis	All jurisdictions
Lyssaviruses unspecified	All jurisdictions
Ornithosis	All jurisdictions
Q fever	All jurisdictions
Other bacterial infections	
Legionellosis	All jurisdictions
Leprosy	All jurisdictions
Meningococcal infection	All jurisdictions
Tuberculosis	All jurisdictions

* Laboratory confirmed influenza is not notifiable in South Australia but reports are forwarded to NNDSS.

† Flavivirus (NEC) replaced Arbovirus (NEC) from 1 January 2004.

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 October to 31 December 2006, by date of onset*

Disease	ACT	NSW	NT	State or territory Qld	SA	Tas	Vic	WA	Total 4th quarter 2006 ^t	Total 3rd quarter 2006	Total 4th quarter 2005	Last 5 years mean 4th quarter	Year to date 2006	Last 5 years YTD mean	Ratio [†]
Bloodborne diseases															
Hepatitis B (incident)	5	14	4	12	2	3	28	12	80	66	53	338.6	297	71.0	1.1
Hepatitis B (unspecified)	20	757	56	234	73	12	402	199	1,753	1,905	1,468	6,551.0	6,663	1,575.4	1.1
Hepatitis C (incident)	13	2	1	0	10	2	43	24	95	92	90	499.0	428	117.8	0.8
Hepatitis C (unspecified)	38	1,577	58	756	130	68	609	265	3,501	3,681	2,916	14,746.0	13,189	3,494.2	1.0
Hepatitis D	0	2	0	2	0	0	1	0	5	10	6	25.6	31	4.2	1.2
Gastrointestinal diseases															
Botulism	0	0	0	1	0	0	0	0	0	1	0	0	0	1	0.0
Campylobacteriosis ^s	117	NN	59	1,021	882	204	1,549	540	4,372	3,898	4,987	15,733.2	15,365	4,569.2	1.0
Cryptosporidiosis ^{ll}	0	123	25	81	36	6	76	76	423	305	792	2,211.2	3,181	447.6	0.9
Haemolytic uraemic syndrome	0	8	0	0	0	0	1	0	9	0	8	13.4	14	4.6	2.0
Hepatitis A	0	10	1	3	0	3	11	23	51	56	71	402.2	277	97.8	0.5
Hepatitis E	0	4	0	0	0	0	1	0	5	6	2	19.4	22	2.4	2.1
Listeriosis	1	4	0	2	1	0	2	3	13	14	18	63.2	59	16.2	0.8
Salmonellosis (NEC)	48	569	122	580	137	40	381	206	2,083	1,242	2,446	7,660.8	8,250	1,954.0	1.1
Shigellosis	0	20	30	15	10	0	23	16	114	103	168	553.4	542	125.4	0.9
SLTEC, VTETC ^{ll}	0	2	0	4	10	0	4	0	20	16	24	58.4	69	15.4	1.3
Typhoid	0	10	0	1	1	1	5	2	20	15	9	65.4	75	14.0	1.4
Quarantineable diseases															
Cholera	0	3	0	0	0	0	0	0	3	0	0	3.6	3	0.2	15.0
Plague	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	NA
Rabies	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	NA
Smallpox	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	NA
Tularemia	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	NA
Viral haemorrhagic fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	NA
Yellow fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	NA

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 October to 31 December 2006, by date of onset,* continued

Disease	ACT	NSW	NT	State or territory Qld	SA	Tas	Vic	WA	Total 4th quarter 2006†	Total 3rd quarter 2006	Total 4th quarter 2005	Last 5 years mean 4th quarter	Year to date 2006	Last 5 years YTD mean	Ratio‡
Sexually transmissible infections															
Chlamydial infection**	212	2,881	496	2,955	750	264	2,462	1,436	11,456	11,413	9,964	30,656.8	46,424	7,619.2	1.5
Donovanosis	0	0	1	0	0	0	0	0	1	0	3	17.6	3	3.8	0.3
Gonococcal infection	9	379	370	320	73	0	299	395	1,845	1,899	2,070	6,960.2	8,517	1,707.2	1.1
Syphilis (all)	7	288	50	78	6	2	190	48	669	653	532	2,087.8	2,592	522.4	1.3
Syphilis < two years duration	0	42	35	41	0	0	76	21	215	175	146	622.5	747	154.0	1.4
Syphilis >two years or unspecified duration	7	246	15	37	6	2	114	27	454	478	386	1,838.8	1,845	460.8	1.0
Syphilis - congenital	0	0	1	0	0	0	0	0	1	1	3	16.0	12	4.0	0.3
Vaccine preventable diseases															
Diphtheria	0	0	0	0	0	0	0	0	0	0	0	0.2	0	0.0	NA
<i>Haemophilus influenzae type b</i>	0	2	1	3	0	0	1	0	7	11	5	20.4	22	3.0	2.3
Influenza (laboratory confirmed)¶	49	90	12	212	12	3	18	24	420	2,166	416	3,032.8	3,145	361.4	1.2
Measles	0	3	0	1	0	0	3	3	10	2	2	64.2	125	15.0	0.7
Mumps	0	18	0	7	5	0	2	5	37	90	38	121.0	260	25.8	1.4
Pertussis	13	372	6	492	142	9	150	30	1,214	4,563	2,805	8,035.8	10,921	2,568.8	0.5
Pneumococcal disease (invasive)¶	6	101	4	41	19	9	70	34	284	536	342	2,117.4	1,432	472.4	0.6
Poliomyelitis	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	NA
Rubella	1	5	0	1	1	0	0	1	9	26	3	127.2	58	33.0	0.3
Rubella - congenital	0	0	0	0	0	0	0	0	0	0	0	1.4	0	0.2	0.0
Tetanus	0	0	0	0	0	0	0	0	0	0	1	3.6	1	1.0	0.0
Varicella infections (chickenpox)	0	NN	73	178	297	4	0	178	730	416	13	NA	1,482	NA	NA
Varicella infections (unspecified)	0	NN	2	771	120	4	0	151	1,048	939	141	NA	3,705	NA	NA
Varicella zoster infections	0	NN	29	141	157	15	0	156	498	314	7	NA	1,147	NA	NA
Vectorborne diseases															
Barmah Forest virus infection	0	93	16	218	15	0	0	22	364	357	296	1,169.4	2,108	209.0	1.7
Dengue	0	9	4	13	4	0	2	1	33	38	48	347.4	184	66.6	0.5
Flavivirus infection (NEC)	0	0	0	3	0	0	0	0	3	4	4	62.0	32	10.2	0.3
Japanese encephalitis virus	0	0	0	0	0	0	0	0	0	0	0	0.4	0	0.0	NA
Kunjin virus	0	0	0	0	0	0	0	0	0	0	0	7.2	3	0.6	0.0
Malaria	1	30	14	44	4	5	20	29	147	209	143	634.0	780	138.2	1.1
Murray Valley encephalitis virus	0	0	0	0	0	0	0	0	0	0	0	2.2	1	0.0	NA
Ross River virus infection	0	129	43	176	47	1	12	112	520	395	777	3,057.4	5,472	405.2	1.3

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 October to 31 December 2006, by date of onset,* continued

Disease	ACT	NSW	NT	State or territory Qld	SA	Tas	Vic	WA	Total 4th quarter 2006†	Total 3rd quarter 2006	Total 4th quarter 2005	Last 5 years mean 4th quarter	Year to date 2006	Last 5 years YTD mean	Ratio‡
Zoonoses															
Anthrax	0	0	0	0	0	0	0	0	0	0	0	0.0	1	0.0	NA
Australian bat lyssavirus	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	NA
Brucellosis	0	4	0	7	0	0	0	0	11	14	18	31.8	44	10.8	1.0
Leptospirosis	0	1	0	13	0	1	2	1	18	19	28	169.0	145	29.8	0.6
Lyssavirus unspecified	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	NA
Ornithosis	0	19	0	0	0	0	13	2	34	43	31	190.6	160	42.6	0.8
Q fever	0	45	1	42	1	0	4	2	95	114	83	574.4	393	141.4	0.7
Other bacterial infections															
Legionellosis	0	10	0	10	19	1	16	34	90	81	87	321.8	344	87.4	1.0
Leprosy	0	0	0	0	0	0	0	0	2	1	7.4	5	1.2	0.0	
Meningococcal infection††	1	21	1	12	6	1	19	5	66	111	105	547.6	319	129.4	0.5
Tuberculosis	6	125	7	45	24	1	96	33	337	331	318	1,143.0	1,232	325.6	1.0
Total	547	7,730	1,487	8,495	2,995	659	6,515	4,068	32,497	36,156	31,342	110,507.9	139,539	27,477.6	1.2

* Date of onset = the true onset. If this is not available, the 'date of onset' is equivalent to the earliest of two dates: (i) specimen date of collection, or (ii) the date of notification to the public health unit. Hepatitis B and C unspecified were analysed by the date of notification.

† Totals comprise data from all states and territories. Cumulative figures are subject to retrospective revision so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.

‡ Ratio = ratio of current quarter total to the mean of last 5 years for the same quarter. Note: Ratios for syphilis <2 years; syphilis >2 years or unspecified duration based on 2 years data.

§ Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'. Notifiable from January 2001 only. Ratio and mean calculations are based on the last five years.

¶ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

** Includes *Chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

†† Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

Table 3. Notification rates of diseases, 1 October to 31 December 2006, by state or territory, (annualised rate per 100,000 population)

Disease*	State or territory								Aust
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Bloodborne diseases									
Hepatitis B (incident)	6.1	0.8	7.8	1.2	0.5	2.5	2.2	2.3	1.6
Hepatitis B (unspecified)	24.4	44.4	108.8	23.2	18.8	9.8	31.7	39.0	34.1
Hepatitis C (incident)	15.8	0.1	1.9	0.0	2.6	1.6	3.4	4.7	1.8
Hepatitis C (unspecified)	46.3	92.5	112.7	74.9	33.5	55.7	48.0	51.9	68.1
Hepatitis D	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.0	0.1
Gastrointestinal diseases									
Botulism	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Campylobacteriosis†	142.6	NN	114.6	101.2	227.3	167.0	122.0	105.7	127.3
Cryptosporidiosis	0.0	7.2	48.6	8.0	9.3	4.9	6.0	14.9	8.2
Haemolytic uraemic syndrome	0.0	0.5	0.0	0.0	0.0	0.0	0.1	0.0	0.2
Hepatitis A	0.0	0.6	1.9	0.3	0.0	2.5	0.9	4.5	1.0
Hepatitis E	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.1
Listeriosis	1.2	0.2	0.0	0.2	0.3	0.0	0.2	0.6	0.3
Salmonellosis (NEC)	58.5	33.4	237.0	57.5	35.3	32.7	30.0	40.3	40.5
Shigellosis	0.0	1.2	58.3	1.5	2.6	0.0	1.8	3.1	2.2
SLTEC, VTEC‡	0.0	0.1	0.0	0.4	2.6	0.0	0.3	0.0	0.4
Typhoid	0.0	0.6	0.0	0.1	0.3	0.8	0.4	0.4	0.4
Quarantineable diseases									
Cholera	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Plague	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rabies	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Smallpox	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tularemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Viral haemorrhagic fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sexually transmissible infections									
Chlamydial infection§	258.4	169.0	963.5	292.9	193.3	216.1	193.9	281.2	223.0
Donovanosis	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0
Gonococcal infection	11.0	22.2	718.7	31.7	18.8	0.0	23.6	77.3	35.9
Syphilis (all)	8.5	16.9	97.1	7.7	1.5	1.6	15.0	9.4	13.0
Syphilis <2 years duration	0.0	2.5	68.0	4.1	0.0	0.0	6.0	4.1	4.2
Syphilis >2 years or unspecified duration	8.5	14.4	29.1	3.7	1.5	1.6	9.0	5.3	8.8
Syphilis - congenital	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0
Vaccine preventable diseases									
Diphtheria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0.0	0.1	1.9	0.3	0.0	0.0	0.1	0.0	0.1
Influenza (laboratory confirmed)	59.7	5.3	23.3	21.0	3.1	2.5	1.4	4.7	8.2
Measles	0.0	0.2	0.0	0.1	0.0	0.0	0.2	0.6	0.2
Mumps	0.0	1.1	0.0	0.7	1.3	0.0	0.2	1.0	0.7
Pertussis	15.8	21.8	11.7	48.8	36.6	7.4	11.8	5.9	23.6
Pneumococcal disease (invasive)	7.3	5.9	7.8	4.1	4.9	7.4	5.5	6.7	5.5
Poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rubella	1.2	0.3	0.0	0.1	0.3	0.0	0.0	0.2	0.2
Rubella - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 3. Notification rates of diseases, 1 October to 31 December 2006, by state or territory, (annualised rate per 100,000 population), continued

Disease*	State or territory								Aust
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Vaccine preventable diseases, continued									
Tetanus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Varicella infections (chickenpox)	0.0	NN	141.8	17.6	76.5	3.3	0.0	34.9	21.3
Varicella infections (unspecified)	0.0	NN	3.9	76.4	30.9	3.3	0.0	29.6	30.5
Varicella zoster infections	0.0	NN	56.3	14.0	40.5	12.3	0.0	30.5	14.5
Vectorborne diseases									
Barmah Forest virus infection	0.0	5.5	31.1	21.6	3.9	0.0	0.0	4.3	7.1
Dengue	0.0	0.5	7.8	1.3	1.0	0.0	0.2	0.2	0.6
Flavivirus infection (NEC)	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.1
Japanese encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kunjin virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Malaria	1.2	1.8	27.2	4.4	1.0	4.1	1.6	5.7	2.9
Murray Valley encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ross River virus infection	0.0	7.6	83.5	17.4	12.1	0.8	0.9	21.9	10.1
Zoonoses									
Anthrax	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Australian bat lyssavirus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brucellosis	0.0	0.2	0.0	0.7	0.0	0.0	0.0	0.0	0.2
Leptospirosis	0.0	0.1	0.0	1.3	0.0	0.8	0.2	0.2	0.4
Lyssavirus unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ornithosis	0.0	1.1	0.0	0.0	0.0	0.0	1.0	0.4	0.7
Q fever	0.0	2.6	1.9	4.2	0.3	0.0	0.3	0.4	1.8
Other bacterial infections									
Legionellosis	0.0	0.6	0.0	1.0	4.9	0.8	1.3	6.7	1.8
Leprosy	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meningococcal infection ^{II}	1.2	1.2	1.9	1.2	1.5	0.8	1.5	1.0	1.3
Tuberculosis	7.3	7.3	13.6	4.5	6.2	0.8	7.6	6.5	6.6

* Rates are subject to retrospective revision.

† Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

‡ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

§ Includes *Chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

|| Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

There were 2,699 reports received by the Virology and Serology Laboratory Reporting Scheme (LabVISE) in the reporting period, 1 October to 31 December 2006 (Tables 4 and 5).

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 October to 31 December 2006, and total reports for the year†

	State or territory								This period 2006	This period 2005	Year to date 2006	Year to date 2005
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Measles, mumps, rubella												
Measles virus	0	0	0	0	0	0	3	0	3	4	57	8
Mumps virus	0	0	0	0	0	0	1	0	1	13	26	38
Hepatitis viruses												
Hepatitis A virus	0	2	0	0	0	0	0	5	7	15	31	53
Hepatitis D virus	0	0	0	0	2	0	0	0	2	2	7	14
Hepatitis E virus	0	0	0	0	0	0	1	0	1	1	6	12
Arboviruses												
Ross River virus	0	1	10	8	11	0	3	7	40	119	1,061	452
Barmah Forest virus	0	1	0	12	8	0	0	0	21	27	287	185
Flavivirus (unspecified)	0	0	0	4	0	0	0	0	4	8	47	37
Adenoviruses												
Adenovirus not typed/pending	2	69	0	0	26	0	28	0	125	182	615	680
Herpes viruses												
Herpes virus type 6	0	0	0	0	0	0	2	0	2	1	4	2
Cytomegalovirus	4	40	0	6	50	1	20	0	121	313	859	1,042
Varicella-zoster virus	0	24	0	48	54	1	10	0	137	388	1,034	1,499
Epstein-Barr virus	0	2	22	36	76	0	6	115	257	605	1,440	2,148
Other DNA viruses												
Poxvirus group not typed	0	0	0	0	0	0	1	0	1	0	3	2
Parvovirus	0	0	0	16	14	1	2	0	33	79	182	202
Picornavirus family												
Coxsackievirus A9	0	5	0	0	0	0	0	0	5	1	16	3
Echovirus type 34	0	1	0	0	0	0	0	0	1	0	1	0
Echovirus type 3	0	1	0	0	0	0	0	0	1	0	3	0
Rhinovirus (all types)	0	48	0	0	2	0	0	0	50	83	192	329
Enterovirus not typed/pending	0	6	0	0	0	1	0	0	7	46	101	187
Ortho/paramyxoviruses												
Influenza A virus	0	17	0	3	9	0	7	0	36	61	336	708
Influenza B virus	0	4	0	0	2	0	0	0	6	27	172	257
Parainfluenza virus type 2	0	1	0	0	1	0	0	0	2	3	14	49
Parainfluenza virus type 3	0	50	0	4	25	0	24	0	103	116	217	390
Respiratory syncytial virus	0	32	0	6	5	2	11	0	56	129	1,803	1,679
Other RNA viruses												
HTLV-1	0	0	0	0	2	0	0	0	2	3	6	9
Rotavirus	0	157	0	0	95	13	132	1	398	271	1,267	1,270
Norwalk agent	0	5	0	0	0	0	423	0	428	104	1,538	267

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 October to 31 December 2006, and total reports for the year,[†] continued

	State or territory								This period 2006	This period 2005	Year to date 2006	Year to date 2005
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Other pathogens												
<i>Chlamydia trachomatis</i> not typed	3	112	0	119	197	13	11	0	455	1,271	3,867	5,049
<i>Chlamydia psittaci</i>	0	0	0	0	0	0	17	0	17	15	60	53
<i>Chlamydia</i> spp typing pending	0	1	0	0	0	0	0	0	1	0	1	0
<i>Mycoplasma pneumoniae</i>	0	4	3	20	24	5	40	29	125	382	1,026	1,309
<i>Mycoplasma hominis</i>	0	3	0	0	0	0	0	0	3	3	23	7
<i>Coxiella burnetii</i> (Q fever)	0	0	1	0	5	0	4	0	10	41	103	162
<i>Rickettsia tsutsugamushi</i>	0	0	0	0	1	0	1	0	2	25	25	71
<i>Rickettsia</i> - spotted fever group	0	0	0	0	1	0	0	0	1	58	86	236
<i>Streptococcus</i> group A	0	0	0	24	0	0	16	0	40	178	369	609
<i>Bordetella pertussis</i>	0	5	0	14	56	0	10	0	85	406	1,309	1,573
<i>Legionella pneumophila</i>	0	0	0	0	0	0	3	0	3	6	28	23
<i>Legionella longbeachae</i>	0	0	0	0	0	0	6	0	6	14	21	51
<i>Legionella</i> species	0	0	0	0	0	0	1	0	1	1	1	1
<i>Cryptococcus</i> species	0	0	0	1	1	0	0	0	2	12	21	41
<i>Leptospira</i> species	0	0	0	1	1	0	0	0	2	10	18	33
<i>Treponema pallidum</i>	0	40	0	28	25	0	0	0	93	251	781	1,086
<i>Toxoplasma gondii</i>	0	0	0	0	2	0	1	0	3	14	39	45
Total	9	631	36	350	695	37	784	157	2,699	5,288	19,103	21,871

* State or territory of postcode, if reported, otherwise state or territory of reporting laboratory.

† Data presented are for reports with reports dates in the current period.

– No data received this period.

Table 5. Virology and serology reports by laboratories for the reporting period 1 October to 31 December 2006*

State or territory	Laboratory	October 2006	November 2006	December 2006	Total this period
Australian Capital Territory	The Canberra Hospital	–	–	–	–
New South Wales	Institute of Clinical Pathology and Medical Research, Westmead	116	55		171
	New Children's Hospital, Westmead	116	79	36	231
	Repatriation General Hospital, Concord	–	–	–	–
	Royal Prince Alfred Hospital, Camperdown	27	18	5	50
	South West Area Pathology Service, Liverpool	103	46	24	173
Queensland	Queensland Medical Laboratory, West End	1	368	1	370
	Townsville General Hospital	–	–	–	–
South Australia	Institute of Medical and Veterinary Science, Adelaide	38	655	2	695
Tasmania	Northern Tasmanian Pathology Service, Launceston	14	15	6	35
	Royal Hobart Hospital, Hobart	–	–	–	–
Victoria	Monash Medical Centre, Melbourne	5	10	11	26
	Royal Children's Hospital, Melbourne	153	52	15	220
	Victorian Infectious Diseases Reference Laboratory, Fairfield	151	314	73	538
Western Australia	PathCentre Virology, Perth	–	–	–	–
	Princess Margaret Hospital, Perth	–	–	–	–
	Western Diagnostic Pathology	67	80	43	190
Total		791	1,692	216	2,699

* The complete list of laboratories reporting for the 12 months, January to December 2006, will appear in every report regardless of whether reports were received in this reporting period. Reports are not always received from all laboratories.

– No data received this period.