

Tables

National Notifiable Diseases Surveillance System

A summary of diseases currently being reported by each jurisdiction is provided in Table 1. There were 36,988 notifications to the National Notifiable Diseases Surveillance System (NNDSS) with a notification date between 1 January and 31 March 2007 (Table 2). The notification rate of diseases per 100,000 population for each state or territory is presented in Table 3.

Table 1. Reporting of notifiable diseases by jurisdiction

Disease	Data received from:	Disease	Data received from:
Bloodborne diseases		Vaccine preventable diseases	
Hepatitis B (incident)	All jurisdictions	Diphtheria	All jurisdictions
Hepatitis B (unspecified)	All jurisdictions	<i>Haemophilus influenzae</i> type b	All jurisdictions
Hepatitis C (incident)	All jurisdictions except Qld	Influenza (laboratory confirmed)*	All jurisdictions
Hepatitis C (unspecified)	All jurisdictions	Measles	All jurisdictions
Hepatitis D	All jurisdictions	Mumps	All jurisdictions
Gastrointestinal diseases		Pertussis	All jurisdictions
Botulism	All jurisdictions	Pneumococcal disease (invasive)	All jurisdictions
Campylobacteriosis	All jurisdictions except NSW	Poliomyelitis	All jurisdictions
Cryptosporidiosis	All jurisdictions	Rubella	All jurisdictions
Haemolytic uraemic syndrome	All jurisdictions	Rubella - congenital	All jurisdictions
Hepatitis A	All jurisdictions	Tetanus	All jurisdictions
Hepatitis E	All jurisdictions	Varicella zoster (chickenpox)	All jurisdictions except NSW
Listeriosis	All jurisdictions	Varicella zoster (shingles)	All jurisdictions except NSW
Salmonellosis	All jurisdictions	Varicella zoster (unspecified)	All jurisdictions except NSW
Shigellosis	All jurisdictions	Vectorborne diseases	
SLTEC, VTEC	All jurisdictions	Barmah Forest virus infection	All jurisdictions
Typhoid	All jurisdictions	Flavivirus infection (NEC) [†]	All jurisdictions
Quarantinable diseases		Dengue	All jurisdictions
Cholera	All jurisdictions	Japanese encephalitis virus	All jurisdictions
Plague	All jurisdictions	Kunjin virus	All jurisdictions
Rabies	All jurisdictions	Malaria	All jurisdictions
Smallpox	All jurisdictions	Murray Valley encephalitis virus	All jurisdictions
Tularemia	All jurisdictions	Ross River virus infection	All jurisdictions
Viral haemorrhagic fever	All jurisdictions	Zoonoses	
Yellow fever	All jurisdictions	Anthrax	All jurisdictions
Sexually transmissible infections		Australian bat lyssavirus	All jurisdictions
Chlamydial infection	All jurisdictions	Brucellosis	All jurisdictions
Donovanosis	All jurisdictions	Leptospirosis	All jurisdictions
Gonococcal infection	All jurisdictions	Lyssaviruses unspecified	All jurisdictions
Syphilis (all)	All jurisdictions	Ornithosis	All jurisdictions
Syphilis <2 years duration	All jurisdictions	Q fever	All jurisdictions
Syphilis >2 years or unspecified duration	All jurisdictions	Other bacterial infections	
Syphilis - congenital	All jurisdictions	Legionellosis	All jurisdictions
		Leprosy	All jurisdictions
		Meningococcal infection	All jurisdictions
		Tuberculosis	All jurisdictions

* Laboratory confirmed influenza is not notifiable in South Australia but reports are forwarded to NNDSS.

† Flavivirus (NEC) replaced Arbovirus (NEC) from 1 January 2004.

Table 2. Notifications of diseases received by state and territory health authorities in the period 1 January to 31 March 2007, by date of onset*

Disease	State or territory										Total 1st quarter 2007 [†]	Total 4th quarter 2006	Total 1st quarter 2006	Last 5 years mean 1st quarter	Year to date 2007	Last 5 years YTD mean	Ratio [‡]
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA									
Bloodborne diseases																	
Hepatitis B (incident)	3	12	1	20	1	2	28	7	74	77	67	74	74	74	82.0	0.9	
Hepatitis B (unspecified)	25	832	69	319	62	8	505	152	1,972	1,613	1,475	1,972	1,972	1,559.2	1.3		
Hepatitis C (incident)	1	14	1	NN	7	5	21	19	68	88	129	68	68	116.0	0.6		
Hepatitis C (unspecified)	64	1,558	65	807	77	63	735	298	3,667	3,035	3,183	3,667	3,667	3,512.0	1.0		
Hepatitis D	0	3	0	3	0	0	2	0	8	5	10	8	8	6.0	1.3		
Gastrointestinal diseases																	
Botulism	0	0	0	0	0	0	1	0	1	1	0	1	1	0.4	2.5		
Campylobacteriosis [§]	104	NN	70	1,075	946	223	1,861	545	4,824	4,390	3,733	4,824	4,824	4,119.6	1.2		
Cryptosporidiosis	0	100	44	110	356	7	185	314	1,116	433	1,519	1,116	1,116	1,191.6	0.9		
Haemolytic uraemic syndrome	1	4	0	1	1	0	0	0	7	8	5	7	7	4.0	1.8		
Hepatitis A	2	23	2	6	2	0	9	2	46	54	106	46	46	112.0	0.4		
Hepatitis E	0	4	0	0	0	0	2	0	6	6	8	6	6	8.0	0.8		
Listeriosis	0	5	0	3	1	1	4	1	15	13	25	15	15	17.8	0.8		
Salmonellosis (NEC)	38	1,028	181	894	386	116	546	267	3,456	2,099	3,066	3,456	3,456	2,833.8	1.2		
Shigellosis	0	15	48	21	5	0	27	27	143	115	190	143	143	175.6	0.8		
SLTEC, VTEC	1	3	2	4	24	0	6	0	40	21	16	40	40	16.2	2.5		
Typhoid	0	12	0	3	4	1	10	7	37	21	20	37	37	25.0	1.5		
Quarantinable diseases																	
Cholera	0	0	0	0	0	0	0	0	0	3	0	0	0	0.8	0.0		
Plague	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	NA		
Rabies	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	NA		
Smallpox	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	NA		
Tularemia	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	NA		
Viral haemorrhagic fever	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	NA		
Yellow fever	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	NA		

Table 2. Notifications of diseases received by state and territory health authorities in the period 1 January to 31 March 2007, by date of onset,*
continued

Disease	State or territory							Total 1st quarter 2007†	Total 4th quarter 2006	Total 1st quarter 2006	Last 5 years mean 1st quarter	Year to date 2007	Last 5 years YTD mean	Ratio†
	ACT	NSW	NT	Qld	SA	Tas	Vic							
Sexually transmissible infections														
Chlamydia infection†	216	3,403	539	3,396	806	272	2,690	1,697	11,548	12,267	13,019	13,019	9,044.0	1.4
Donovanosis	0	0	0	1	0	0	0	0	1	0	1	1	4.2	0.2
Gonococcal infection	14	387	386	359	94	8	292	433	1,867	2,406	1,973	1,973	1,937.0	1.0
Syphilis (all)	12	356	42	89	8	9	203	29	719	626	748	748	560.6	1.3
Syphilis < two years duration	0	74	16	45	0	0	103	13	237	167	251	251	164.0	1.5
Syphilis > two years or unspecified duration	12	282	26	44	8	9	100	16	482	459	497	497	465.8	1.1
Syphilis - congenital	0	2	0	0	0	0	0	0	1	4	2	2	3.4	0.6
Vaccine preventable diseases														
Diphtheria	0	0	0	0	0	0	0	0	0	0	0	0	0.0	NA
<i>Haemophilus influenzae</i> type b	0	0	0	1	0	0	1	0	7	2	2	2	5.4	0.4
Influenza (laboratory confirmed)	8	107	5	137	6	3	31	37	415	180	334	334	179.6	1.9
Measles	0	2	0	1	0	0	1	0	10	17	4	4	12.2	0.3
Mumps	0	23	2	12	2	0	1	5	42	43	45	45	31.0	1.5
Pertussis	18	343	4	327	80	5	196	21	1,279	2,428	994	994	1,708.2	0.6
Pneumococcal disease (invasive)	7	69	12	41	5	3	35	19	293	206	191	191	288.2	0.7
Poliomyelitis	0	0	0	0	0	0	0	0	0	0	0	0	0.0	NA
Rubella	1	2	0	2	0	0	2	1	12	6	8	8	21.8	0.4
Rubella - congenital	0	0	0	0	0	0	0	0	0	0	0	0	0.4	0.0
Tetanus	0	0	0	0	0	0	0	0	2	1	0	0	1.8	0.0
Varicella zoster (chickenpox)	NDP	NN	21	94	177	7	NDP	53	705	176	352	352	NA	NA
Varicella zoster (shingles)	NDP	NN	28	91	183	24	NDP	116	406	175	442	442	NA	NA
Varicella zoster (unspecified)	NDP	NN	0	776	92	6	NDP	194	920	862	1,068	1,068	NA	NA
Vectorborne diseases														
Barmah Forest virus infection	0	153	33	201	17	0	3	25	365	741	432	432	398.6	1.1
Dengue	0	31	5	36	4	0	4	11	36	57	91	91	159.6	0.6
Flavivirus infection (NEC)	0	0	0	9	0	0	1	0	4	15	10	10	20.8	0.5
Japanese encephalitis virus	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.0
Kunjin virus	0	0	0	0	0	0	0	0	0	1	0	0	4.6	0.0
Malaria	4	29	5	61	3	6	32	19	152	212	159	159	204.4	0.8
Murray Valley encephalitis virus	0	0	0	0	0	0	0	0	0	0	0	0	1.0	0.0
Ross River virus infection	2	174	126	600	48	2	20	101	530	3,433	1,073	1,073	1,610.8	0.7

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 January to 31 March 2007, by date of onset,*
continued

Disease	State or territory						Total 1st quarter 2007†	Total 4th quarter 2006	Total 1st quarter 2006	Last 5 years mean 1st quarter	Year to date 2007	Last 5 years YTD mean	Ratio‡	
	ACT	NSW	NT	Qld	SA	Tas								Vic
Zoonoses														
Anthrax	0	0	0	0	0	0	0	0	1	0	1	0	0.2	5.0
Australian bat lyssavirus	0	0	0	0	0	0	0	0	0	0	0	0	0.0	NA
Brucellosis	0	4	0	11	0	0	0	0	13	15	15	15	9.8	1.5
Leptospirosis	0	4	1	37	0	0	4	0	20	50	46	46	55.6	0.8
Lyssavirus unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0.0	NA
Ornithosis	0	9	0	0	1	0	12	0	39	43	22	22	40.4	0.5
Q fever	0	52	1	49	3	0	4	1	101	98	110	110	140.6	0.8
Other bacterial infections														
Legionellosis	1	31	0	13	4	1	5	11	94	101	66	66	83.6	0.8
Leprosy	0	1	0	0	0	1	0	0	0	1	2	2	2.8	0.7
Meningococcal infection**	1	18	3	14	1	0	7	3	68	75	47	47	90.0	0.5
Tuberculosis	1	96	11	34	9	1	89	19	338	289	260	260	260.6	1.0
Total	524	8,909	1,707	9,659	3,415	774	7,576	4,434	31,969	38,084	36,998	36,998	30,904.0	1.2

* Date of onset = the true onset. If this is not available, the 'date of onset' is equivalent to the earliest of two dates: (i) specimen date of collection, or (ii) the date of notification to the public health unit. Hepatitis B and C unspecified were analysed by the date of notification.

† Totals comprise data from all states and territories. Cumulative figures are subject to retrospective revision so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.

‡ Ratio = ratio of current quarter total to the mean of last 5 years for the same quarter. Note: Ratios for syphilis <2 years; syphilis >2 years or unspecified duration based on 2 years data

§ Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

|| Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

¶ Includes *Chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

** Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

NDP No data provided

Table 3. Notification rates of diseases, 1 January to 31 March 2007, by state or territory. (Annualised rate per 100,000 population)

Disease*	State or territory								Aust
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Bloodborne diseases									
Hepatitis B (incident)	3.6	0.7	1.9	2.0	0.3	1.6	2.2	1.4	1.4
Hepatitis B (unspecified)	30.4	48.7	133.5	31.5	16.0	6.5	39.7	29.6	38.3
Hepatitis C (incident)	1.2	0.8	1.9	NN	1.8	4.1	1.6	3.7	1.6
Hepatitis C (unspecified)	77.9	91.3	125.8	79.6	19.8	51.5	57.7	58.1	71.2
Hepatitis D	0.0	0.2	0.0	0.3	0.0	0.0	0.2	0.0	0.2
Gastrointestinal diseases									
Botulism	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Campylobacteriosis [†]	126.5	NN	135.5	106.1	243.4	182.4	146.2	106.3	140.1
Cryptosporidiosis	0.0	5.9	85.2	10.9	91.6	5.7	14.5	61.2	21.7
Haemolytic uraemic syndrome	1.2	0.2	0.0	0.1	0.3	0.0	0.0	0.0	0.1
Hepatitis A	2.4	1.3	3.9	0.6	0.5	0.0	0.7	0.4	0.9
Hepatitis E	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.1
Listeriosis	0.0	0.3	0.0	0.3	0.3	0.8	0.3	0.2	0.3
Salmonellosis (NEC)	46.2	60.2	350.3	88.2	99.3	94.9	42.9	52.1	67.1
Shigellosis	0.0	0.9	92.9	2.1	1.3	0.0	2.1	5.3	2.8
SLTEC, VTEC [‡]	1.2	0.2	3.9	0.4	6.2	0.0	0.5	0.0	0.8
Typhoid	0.0	0.7	0.0	0.3	1.0	0.8	0.8	1.4	0.7
Quarantinable diseases									
Cholera	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plague	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rabies	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Smallpox	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tularemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Viral haemorrhagic fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sexually transmissible infections									
Chlamydial infection [§]	262.8	199.4	1,043.1	335.1	207.4	222.5	211.3	331.0	252.7
Donovanosis	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Gonococcal infection	17.0	22.7	747.0	35.4	24.2	6.5	22.9	84.5	38.3
Syphilis (all)	14.6	20.9	81.3	8.8	2.1	7.4	15.9	5.7	14.5
Syphilis <2 years duration	0.0	4.3	31.0	4.4	0.0	0.0	8.1	2.5	4.9
Syphilis >2 years or unspecified duration	14.6	16.5	50.3	4.3	2.1	7.4	7.9	3.1	9.6
Syphilis - congenital	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vaccine preventable diseases									
Diphtheria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0
Influenza (laboratory confirmed)	9.7	6.3	9.7	13.5	1.5	2.5	2.4	7.2	6.5
Measles	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.1
Mumps	0.0	1.3	3.9	1.2	0.5	0.0	0.1	1.0	0.9
Pertussis	21.9	20.1	7.7	32.3	20.6	4.1	15.4	4.1	19.3
Pneumococcal disease (invasive)	8.5	4.0	23.2	4.0	1.3	2.5	2.7	3.7	3.7
Poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 3. Notification rates of diseases, 1 January to 31 March 2007, by state or territory. (Annualised rate per 100,000 population), continued

Disease*	State or territory								Aust
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Vaccine preventable diseases, continued									
Rubella	1.2	0.1	0.0	0.2	0.0	0.0	0.2	0.2	0.2
Rubella - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tetanus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Varicella zoster (chickenpox)	NDP	NN	40.6	9.3	45.5	5.7	NDP	10.3	16.8
Varicella zoster (shingles)	NDP	NN	54.2	9.0	47.1	19.6	NDP	22.6	21.2
Varicella zoster (unspecified)	NDP	NN	0.0	76.6	23.7	4.9	NDP	37.8	51.1
Vectorborne diseases									
Barmah Forest virus infection	0.0	9.0	63.9	19.8	4.4	0.0	0.2	4.9	8.4
Dengue	0.0	1.8	9.7	3.6	1.0	0.0	0.3	2.1	1.8
Flavivirus infection (NEC)	0.0	0.0	0.0	0.9	0.0	0.0	0.1	0.0	0.2
Japanese encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kunjin virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Malaria	4.9	1.7	9.7	6.0	0.8	4.9	2.5	3.7	3.1
Murray Valley encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ross River virus infection	2.4	10.2	243.8	59.2	12.3	1.6	1.6	19.7	20.8
Zoonoses									
Anthrax	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Australian bat lyssavirus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brucellosis	0.0	0.2	0.0	1.1	0.0	0.0	0.0	0.0	0.3
Leptospirosis	0.0	0.2	1.9	3.7	0.0	0.0	0.3	0.0	0.9
Lyssavirus unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ornithosis	0.0	0.5	0.0	0.0	0.3	0.0	0.9	0.0	0.4
Q fever	0.0	3.0	1.9	4.8	0.8	0.0	0.3	0.2	2.1
Other bacterial infections									
Legionellosis	1.2	1.8	0.0	1.3	1.0	0.8	0.4	2.1	1.3
Leprosy	0.0	0.1	0.0	0.0	0.0	0.8	0.0	0.0	0.0
Meningococcal infection	1.2	1.1	5.8	1.4	0.3	0.0	0.5	0.6	0.9
Tuberculosis	1.2	5.6	21.3	3.4	2.3	0.8	7.0	3.7	5.0

* Rates are subject to retrospective revision.

† Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

‡ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

§ Includes *Chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

|| Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

NDP No data provided.

Laboratory Serology and Virology Reporting Scheme

There were 6,204 reports received by the Virology and Serology Laboratory Reporting Scheme (LabVISE) in the reporting period, 1 January to 31 March 2007 (Tables 4 and 5).

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 January to 31 March 2007, and total reports for the year†

	State or territory								This period 2007	This period 2006	Year to date 2007	Year to date 2006
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Measles, mumps, rubella												
Measles virus	–	1	–	2	2	–	1	–	6	11	6	11
Mumps virus	–	2	–	3	1	–	2	–	8	12	8	12
Rubella virus	–	–	1	5	1	–	–	–	7	2	7	2
Hepatitis viruses												
Hepatitis A virus	–	–	–	6	2	1	1	–	10	11	10	11
Hepatitis D virus	–	–	–	1	3	–	2	–	6	2	6	2
Arboviruses												
Ross River virus	–	1	26	226	43	–	–	3	299	788	299	788
Barmah Forest virus	–	8	3	113	15	–	1	–	140	144	140	144
Flavivirus (unspecified)	–	–	–	24	–	–	1	–	25	30	25	30
Adenoviruses												
Adenovirus not typed/pending	–	62	–	17	60	–	19	–	158	155	158	155
Cytomegalovirus	–	26	–	64	166	1	19	–	276	325	276	325
Herpesviruses												
Varicella-zoster virus	4	96	–	429	148	1	12	–	690	352	690	352
Epstein-Barr virus	–	9	21	371	169	3	12	82	667	544	667	544
Other DNA viruses												
Poxvirus group not typed	–	–	–	–	–	–	1	–	1	–	1	–
Parvovirus	–	1	1	52	35	–	3	–	92	51	92	51
Picornavirus family												
Echovirus type 30	–	1	–	–	–	–	–	–	1	11	1	11
Rhinovirus (all types)	–	56	–	–	1	–	1	–	58	17	58	17
Enterovirus not typed/pending	1	13	–	9	2	–	2	–	27	54	27	54
Ortho/paramyxoviruses												
Influenza A virus	–	5	2	35	3	–	2	–	47	30	47	30
Influenza B virus	–	–	–	1	4	–	–	–	5	6	5	6
Parainfluenza virus type 1	–	1	–	–	–	–	–	–	1	22	2	22
Parainfluenza virus type 2	–	2	–	3	–	–	–	–	5	1	5	1
Parainfluenza virus type 3	–	15	–	6	1	–	7	–	29	12	30	12
Respiratory syncytial virus	–	45	2	103	3	–	3	–	156	104	157	104
HTLV-1	–	–	–	–	2	–	–	–	2	4	2	4
Other RNA viruses												
Rotavirus	–	13	–	–	19	2	3	–	37	64	38	64
Norwalk agent	1	6	–	–	–	–	35	–	42	190	42	190

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 January to 31 March 2007, and total reports for the year,† continued

	State or territory								This period 2007	This period 2006	Year to date 2007	Year to date 2006
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Other												
<i>Chlamydia trachomatis</i> not typed	1	138	–	1,373	595	7	4	–	2,118	1,475	2,127	1,475
<i>Chlamydia psittaci</i>	–	–	–	1	1	–	14	–	16	10	16	10
<i>Mycoplasma pneumoniae</i>	1	13	3	194	57	3	17	14	302	345	302	345
<i>Mycoplasma hominis</i>	–	3	–	–	–	–	–	–	3	10	3	10
<i>Coxiella burnetii</i> (Q fever)	–	1	–	18	5	–	–	–	24	47	24	47
<i>Orentia tsutsugamushi</i>	–	–	–	–	–	–	–	–	–	17	2	17
<i>Rickettsia</i> - spotted fever group	–	–	–	–	1	–	–	–	1	57	1	57
<i>Streptococcus</i> group A	–	10	3	198	–	1	20	–	232	137	232	137
<i>Yersinia enterocolitica</i>	–	1	–	–	–	–	–	–	1	3	1	3
<i>Brucella</i> species	–	–	–	1	–	–	–	–	1	2	1	2
<i>Bordetella pertussis</i>	1	6	–	93	62	–	13	–	175	429	175	429
<i>Legionella pneumophila</i>	–	1	–	–	–	–	1	–	2	8	2	8
<i>Cryptococcus</i> species	–	–	–	5	4	–	–	–	9	10	9	10
<i>Leptospira</i> species	–	–	–	23	–	–	–	–	23	7	23	7
<i>Treponema pallidum</i>	–	29	–	279	181	–	–	1	490	275	504	275
<i>Entamoeba histolytica</i>	–	–	1	1	–	–	–	–	2	–	2	–
<i>Toxoplasma gondii</i>	–	–	–	5	2	–	1	–	8	16	8	16
<i>Echinococcus granulosus</i>	–	–	–	–	2	–	–	–	2	3	2	3
Total	9	565	63	3,661	1,590	19	197	100	6,204	5,793	6,231	5,793

* State or territory of postcode, if reported, otherwise state or territory of reporting laboratory.

† Data presented are for reports with reports dates in the current period.

– No data received this period.

Table 5. Virology and serology reports by laboratories for the reporting period 1 January to 31 March 2007*

State or territory	Laboratory	January 2007	February 2007	March 2007	Total this period
Australian Capital Territory	The Canberra Hospital	–	–	–	–
New South Wales	Institute of Clinical Pathology and Medical Research, Westmead	3	56	58	117
	New Children's Hospital, Westmead	63	45	59	167
	Repatriation General Hospital, Concord	–	–	–	–
	Royal Prince Alfred Hospital, Camperdown	18	19	16	53
	South West Area Pathology Service, Liverpool	24	7	–	31
Queensland	Queensland Medical Laboratory, West End	1,230	1,324	1,340	3,894
	Townsville General Hospital	–	–	–	–
South Australia	Institute of Medical and Veterinary Science, Adelaide	524	555	508	1,587
Tasmania	Northern Tasmanian Pathology Service, Launceston	9	6	1	16
	Royal Hobart Hospital, Hobart	–	–	–	–
Victoria	Monash Medical Centre, Melbourne	–	–	–	–
	Royal Children's Hospital, Melbourne	46	46	15	107
	Victorian Infectious Diseases Reference Laboratory, Fairfield	45	40	1	86
Western Australia	PathCentre Virology, Perth	–	–	–	–
	Princess Margaret Hospital, Perth	–	–	–	–
	Western Diagnostic Pathology	41	2	103	146
Total		2,003	2,100	2,101	6,204

* The complete list of laboratories reporting for the 12 months, January to December 2007, will appear in every report regardless of whether reports were received in this reporting period. Reports are not always received from all laboratories.

– No data received this period.